

# HOW TO PREVENT HEPATITIS B AND LIVER CANCER

1

**At Birth.** Make sure your baby gets the birth dose of the hepatitis B vaccine within the first 24 hours of birth.

2

**At 6 weeks.** Follow up with your health clinic to make sure your baby gets the first dose of the pentavalent vaccine.

3

**At 10 weeks.** Make sure your baby gets the second dose of the pentavalent vaccine.

4

**At 14 weeks.** Make sure your baby gets the third dose of the pentavalent vaccine.




**Following the steps above can prevent your baby from getting hepatitis B infection. Hepatitis B can be spread from mother to baby during birth. You can stop transmission with the birth dose of hepatitis B vaccine.**



# How to Protect Your Baby from Hepatitis B and Liver Cancer

*If you are pregnant, hepatitis B can easily spread to your baby during birth. Your baby can then carry hepatitis B virus for life. You can prevent this from happening by making sure you talk to your health care provider about the hepatitis B birth dose for your baby.*

## Use this checklist to prevent your baby from getting hepatitis B




### At birth.

Your baby should receive the hepatitis B birth dose vaccine within 24 hours of birth.



**Hepatitis B  
Birth dose**




### 6 Weeks.

Your baby should receive their first pentavalent vaccination.



**Dose 1 of  
Pentavalent  
Vaccine**




### 10 Weeks.

Your baby is should recieve for their second pentavalent vaccination.



**Dose 2 of  
Pentavalent  
Vaccine**



### 14 Weeks.

Your baby is due for their third pentavalent vaccination.



**Dose 3 of  
Pentavalent  
Vaccine**

The **pentavalent vaccine** includes Diphtheria-Tetanus-Pertussis (whole cell)-Hepatitis B-Haemophilus influenzae type b vaccine.



# HOW TO PREVENT HEPATITIS B AND LIVER CANCER

1

**At Birth.** Make sure your baby gets the birth dose of the hepatitis B vaccine within the first 24 hours of birth.

2

**At 6 weeks.** Follow up with your health clinic to make sure your baby gets the first dose of the pentavalent vaccine.

3

**At 10 weeks.** Make sure your baby gets the second dose of the pentavalent vaccine.

4

**At 14 weeks.** Make sure your baby gets the third dose of the pentavalent vaccine.



**Following the steps above can prevent your baby from getting hepatitis B infection. Hepatitis B can be spread from mother to baby during birth. You can stop transmission with the birth dose of hepatitis B vaccine.**



TO PREVENT  
**HEPATITIS B**  
AND LIVER  
CANCER

give

hepatitis B  
birth dose

WITHIN **24 HOURS OF BIRTH**



# WAYS TO PREVENT **HEPATITIS B** AND **LIVER CANCER**

# 1

**At Birth.** Make sure your baby gets the **hepatitis B birth dose** within **24 hours of delivery.**

# 2

Make sure your baby gets the **PENTA Vaccine** at **6, 10, and 14 weeks.**

The **pentavalent vaccine (PENTA)** includes *Diphtheria-Tetanus-Pertussis (whole cell)-Hepatitis B-Haemophilus influenzae type b vaccine.*




# How to Protect Your Baby from Hepatitis B and Liver Cancer

*If you are pregnant, hepatitis B can easily spread to your baby during birth. Your baby can then carry hepatitis B virus for life. You can prevent this from happening by making sure you talk to your health care provider about the hepatitis B birth dose for your baby.*

## Use this checklist to prevent your baby from getting hepatitis B

### At birth.




Your baby should receive the hepatitis B birth dose vaccine within 24 hours of birth.



**Hepatitis B  
Birth dose**

### 6 Weeks.




Your baby should receive their first pentavalent vaccination.



**Dose 1 of  
Pentavalent  
Vaccine**

### 10 Weeks.




Your baby is should recieve for their second pentavalent vaccination.



**Dose 2 of  
Pentavalent  
Vaccine**

### 14 Weeks.



Your baby is due for their third pentavalent vaccination.



**Dose 3 of  
Pentavalent  
Vaccine**

The **pentavalent vaccine** includes Diphtheria-Tetanus-Pertussis (whole cell)-Hepatitis B-Haemophilus influenzae type b vaccine.



# HOW TO PREVENT HEPATITIS B AND LIVER CANCER



1

**At Birth.** Make sure your baby gets the birth dose of the hepatitis B vaccine within the **first 24 hours of birth.**

2

**After Birth:** Make sure your baby gets the **PENTA Vaccine** at **6, 10, and 14 weeks.**



# PREVENT HEPATITIS B AND LIVER CANCER



**At Birth.** Make sure your baby gets the birth dose of the hepatitis B vaccine within the **first 24 hours of birth.**



**After Birth:** Make sure your baby gets the **PENTA Vaccine at 6, 10, and 14 weeks.**



**TO PREVENT HEPATITIS B  
AND LIVER CANCER**

**GIVE**

**Hepatitis B Birth Dose**

**WITHIN**

**24 HOURS OF DELIVERY!**

